

LAGUNA AAAWATER CORPORATION OPERATIONS

LABORATORY SERVICES



DOH ACCREDITED TESTING LABORATORY

A Joint Venture of the Provincial Government of Laguna and Manila Water Company 3/F Banawe de Sta. Rosa Building, F. Reyes St., Balibago, Sta. Rosa City, Laguna 4026

Telephone Number: (049) 543 1916 ·

			REQL	JEST	FOR L	ABORATOR	RY A	NAL	YSIS											
Name (Designa	ation)/ Company	:																		
Address		:																		
Tel no. / Fax / Mobile No.		:				Tax Ide	ntific	ation	n Nun	nber	(TIN)	:								
E-mail Address		:				Send R	eport	t Thru	J			:	□ Fa	x □l	Pick ι	ıp 🗆 E	Email			
	SAMPLE LOCATION	DATE/ TIME	SOURCE				ANALYSIS													
SAMPLE CODE			TYPE*	TREATED		SAMPLE	MICROBIOLOGY				<u></u>	PHYSICAL - CHEMICAL								
				Υ	N	CONTAINER					.////////////									
																				-
																				-
LECEND, *CO	URCE TYPE: Deepwell (DW), Sha	Ham Mall (CM) L	\\	Line (IX	A/I \ = ==	I Matau Maulia (I M	(14/) D	-:- \4/-	t (D)	V) Dive		David			DC) III		C		ic)	
LEGEND: "SO	URCE TYPE: Deepwell (DW), Sna	allow Well (SW), La	aguna water	Line (LV	w L) , Loca	i water works (LV	vw), R	ain wa	ter (KV	v), Rive	er, Lake	, Devei	opea S	pring (DS) , UI	naeveid	opea Sp	oring (C	15)	
	ease of Test Certificate:																			
Terms and C	Conditions: 1. Sample should																			
	2. Analyses are su	ibject to the cor	iditions stat	ted per	specific	test method.														
Submitted b	y:					Submitted	d To:													
	(PRINTED NAME AND SIGI	NATURE)/Date/	Гіте				((PRINT	ED NA	ME AI	ND SIG	NATU	RE)/D	ate/Ti	ime					
				FO	R THE	LABORATORY	ON	LY												
Lab Requ	uest No. :																			
Received	•		D	ate ar	nd Time	e :														
OP and 0	OR Number :		Α	moun	t	:														
Reviewe	d By :		R	emark	(S	:														