

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: www.lagunawater.com.ph

CUSTOMER NAME : LAGUNA AAAWATER CORPORATION

ADDRESS : G/F One Evotech Building, Lakeside Evozone, Nuvali, Brgy. Santo Domingo, Santa Rosa City, Laguna

ATTENTION : BIÑAN CITY HEALTH OFFICE

SUMMARY OF LABORATORY ANALYSIS

NO. OF SAMPLES : 71

TOTAL PARAMETERS TESTED: 3


ANALYSIS DATE(S) : 08/05/2024-08/28/2024

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
BRGY. BIÑAN					
08/27/2024 13:11	S24-4800	Laguna Wellfield 1	ABSENCE	ABSENCE	< 1
08/15/2024 15:10	S24-4615	Guardhouse Entrance, Phase 4C, San Jose Village I	ABSENCE	ABSENCE	19
08/15/2024 14:36	S24-4616	Clubhouse, Phase 3B, San Jose Village II	ABSENCE	ABSENCE	< 1
08/15/2024 13:16	S24-4617	Pump 11, Phase 5, San Jose Village II	ABSENCE	ABSENCE	2
08/20/2024 14:50	S24-4734	Clubhouse, Phase 5, San Jose Village II	ABSENCE	ABSENCE	< 1
08/15/2024 13:51	S24-4619	Clubhouse, Phase 6, San Jose Village III	ABSENCE	ABSENCE	< 1
08/15/2024 14:10	S24-4620	Main Gate, AVIDA Shophouse	ABSENCE	ABSENCE	< 1
08/20/2024 15:08	S24-4735	DLSU Science and Technology Complex, LTI Spine Road	ABSENCE	ABSENCE	< 1
BRGY. CANLALAY					
08/19/2024 13:46	S24-4691	Clubhouse, Golden City Subdivision	ABSENCE	ABSENCE	3
08/19/2024 13:59	S24-4692	Drinking Fountain, Canlalay Elementary School	ABSENCE	ABSENCE	2
BRGY. DELA PAZ					
08/19/2024 13:22	S24-4699	Water Pump, Almeda Subdivision	ABSENCE	ABSENCE	11
BRGY. GANADO					
08/28/2024 11:19	S24-4835	Ganado Elementary School	ABSENCE	ABSENCE	< 1
BRGY. HALANG					
08/19/2024 14:18	S24-4686	9999 Water Pump Metroville Complex	ABSENCE	ABSENCE	< 1
08/19/2024 14:27	S24-4687	Block 30 Lot 17, Metroville Complex	ABSENCE	ABSENCE	< 1
BRGY. LANGKIWA					
08/15/2024 11:34	S24-4628	Water Pump, Southville 5A	ABSENCE	ABSENCE	< 1


NOT VALID WITHOUT QR CODE



REVIEWED BY:


NOWEL ELLISON G. RAMOS, RMT
Microbiology Unit Manager
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:


ANNA KARLA S. GUTIERREZ, RMT
Laboratory Services Manager
License No(s). (PRC 0060968)

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: www.lagunawater.com.ph

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER ⁹		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
08/15/2024 11:18	S24-4625	Drinking Fountain, Southville 5A National High School	ABSENCE	ABSENCE	< 1
08/15/2024 11:01	S24-4626	Drinking Fountain, Langkiwa Elementary School	ABSENCE	ABSENCE	8
08/21/2024 13:18	S24-4758	407 Purok I, Don Pablo St. Phase II, Southville	ABSENCE	ABSENCE	< 1
BRGY. LOMA					
08/15/2024 13:01	S24-4622	Block 43 Lot 13, Celina Technopark	ABSENCE	ABSENCE	< 1
08/13/2024 13:44	S24-4572	Block 10 Lot 24, Laguna Bel-Air III	ABSENCE	ABSENCE	< 1
08/13/2024 13:34	S24-4573	Clubhouse, Laguna Bel-Air III	ABSENCE	ABSENCE	< 1
08/15/2024 12:40	S24-4624	Drinking Fountain, Loma Elementary	ABSENCE	ABSENCE	< 1
BRGY. MAMPLASAN					
08/15/2024 12:20	S24-4623	Clubhouse, Verdana Homes Subdivision	ABSENCE	ABSENCE	< 1
08/21/2024 10:48	S24-4770	Amherst Laboratory (UNILAB)	ABSENCE	ABSENCE	< 1
BRGY. POBLACION					
08/19/2024 13:11	S24-4700	Barangay Hall	ABSENCE	ABSENCE	< 1
BRGY. PLATERO					
08/28/2024 12:36	S24-4836	Clubhouse, Mondo Bambini	ABSENCE	ABSENCE	< 1
08/05/2024 11:25	S24-4290	Clubhouse, Prima Casa	ABSENCE	ABSENCE	< 1
08/05/2024 11:39	S24-4291	Water Pump, Springtime	ABSENCE	ABSENCE	< 1
08/05/2024 12:01	S24-4292	Block 7 Lot 10, Springtime	ABSENCE	ABSENCE	< 1
08/21/2024 12:46	S24-4773	Sea-oil, National Road	ABSENCE	ABSENCE	< 1
08/21/2024 12:57	S24-4775	Drinking Fountain, St. Michael School	ABSENCE	ABSENCE	2
08/05/2024 10:42	S24-4298	Water Pump, Jubilation Village - East	ABSENCE	ABSENCE	1
08/05/2024 10:59	S24-4299	Clubhouse, Jubilation Home Village - East	ABSENCE	ABSENCE	< 1
08/05/2024 10:02	S24-4295	Water Pump, Jubilation Village - South	ABSENCE	ABSENCE	< 1
08/05/2024 10:20	S24-4296	Clubhouse, Jubilation Village - South	ABSENCE	ABSENCE	< 1
08/05/2024 08:37	S24-4284	Water Pump, Summer Breeze	ABSENCE	ABSENCE	< 1
08/05/2024 08:50	S24-4285	Gate Entrance, Summer Breeze	ABSENCE	ABSENCE	< 1
08/05/2024 09:36	S24-4288	Clubhouse, Evergreen	ABSENCE	ABSENCE	< 1
08/05/2024 09:02	S24-4287	Elevated Water Tank, Evergreen	ABSENCE	ABSENCE	< 1

NOT VALID WITHOUT QR CODE



REVIEWED BY:

NOWEL ELLISON G. RAMOS, RMT
Microbiology Unit Manager
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:

ANNA KARLA S. GUTIERREZ, RMT
Laboratory Services Manager
License No(s). (PRC 0060968)


ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna
CONTACT NO.: (049) 543-1916
WEBSITE: www.lagunawater.com.ph

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
BRGY. SAN ANTONIO					
08/21/2024 13:21	S24-4782	Water Pump, Biñan City Hall	ABSENCE	ABSENCE	< 1
08/21/2024 13:34	S24-4783	Alonte Stadium	ABSENCE	ABSENCE	< 1
08/21/2024 12:05	S24-4777	Water Pump, Margarita Homes Subdivision	ABSENCE	ABSENCE	< 1
08/28/2024 13:52	S24-4838	Block 1 Lot 2, Margarita Homes	ABSENCE	ABSENCE	< 1
08/19/2024 12:17	S24-4694	9022 Water Pump, Faraon Subdivision	ABSENCE	ABSENCE	15
08/19/2024 11:01	S24-4701	Drinking Fountain, Jacobo Z Gonzales Memorial National High School	ABSENCE	ABSENCE	1
08/21/2024 11:21	S24-4779	Cistern Tank, Pavilion Mall	ABSENCE	ABSENCE	< 1
08/28/2024 13:14	S24-4837	BonChon, Pavilion Mall	ABSENCE	ABSENCE	< 1
08/19/2024 14:50	S24-4695	Malaban Health Center	ABSENCE	ABSENCE	47
08/19/2024 12:41	S24-4696	Wash Area 1, Malaban Elementary School	ABSENCE	ABSENCE	66
08/19/2024 12:36	S24-4697	Wash Area 2, Malaban Elementary School	ABSENCE	ABSENCE	4
BRGY. SANTO NIÑO					
08/21/2024 11:40	S24-4781	Jollibee National Hi-Way	ABSENCE	ABSENCE	< 1
BRGY. SAN VICENTE					
08/21/2024 13:18	S24-4758	407 Water Pump, San Vicente Subdivision	ABSENCE	ABSENCE	< 1
08/21/2024 13:28	S24-4760	Drinking Fountain, San Vicente Elementary School	ABSENCE	ABSENCE	< 1
08/21/2024 12:20	S24-4761	Block 8 Lot 6 Bayabas St., Phase 7 Olivarez Homes	ABSENCE	ABSENCE	< 1
08/21/2024 14:07	S24-4762	Cistern Tank, Central Mall	ABSENCE	ABSENCE	< 1
08/21/2024 12:38	S24-4774	Binan Doctor's Hospital	ABSENCE	ABSENCE	< 1
BRGY. SANTO TOMAS					
08/21/2024 15:40	S24-4772	Water Pump, Adelina Complex 3	ABSENCE	ABSENCE	< 1
08/21/2024 13:18	S24-4768	Block 1 Lot 5, Bais St., Pragmatic	ABSENCE	ABSENCE	< 1
08/21/2024 14:41	S24-4785	Block 5 Lot 1, Adelina Complex	ABSENCE	ABSENCE	< 1
08/21/2024 11:49	S24-4757	Tawi Tawi St. South City Homes	ABSENCE	ABSENCE	< 1
08/21/2024 12:59	S24-4755	Water Pump, South Plains II Subdivision	ABSENCE	ABSENCE	< 1
08/21/2024 13:11	S24-4756	Block 11 Lot 2, South Plains II Subdivision	ABSENCE	ABSENCE	< 1


NOT VALID WITHOUT QR CODE



REVIEWED BY:


NOWEL ELLISON G. RAMOS, RMT
Microbiology Unit Manager
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:


ANNA KARLA S. GUTIERREZ, RMT
Laboratory Services Manager
License No(s). (PRC 0060968)

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: www.lagunawater.com.ph

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
08/21/2024 12:29	S24-4763	Water Pump,Town & Country, Amsterdam St.	ABSENCE	ABSENCE	< 1
08/21/2024 10:38	S24-4764	Blk 35 Lot 21, Southville Town & Country	ABSENCE	ABSENCE	< 1
08/21/2024 10:49	S24-4765	Blk 2 Lot 5, Town & Country, Pennsylvania	ABSENCE	ABSENCE	< 1
08/21/2024 11:12	S24-4766	Water Pump, Phase 4, Olivarez Homes South	ABSENCE	ABSENCE	3
08/21/2024 11:21	S24-4767	Blk 1 Lt 16, Phase 4, Olivarez Homes South	ABSENCE	ABSENCE	< 1
BRGY. SORO – SORO					
08/19/2024 14:39	S24-4690	#76 Manila S Road	ABSENCE	ABSENCE	< 1
08/19/2024 14:50	S24-4689	Water Pump, 9067 Manila S Road	ABSENCE	ABSENCE	< 1
BRGY. TIMBAO					
08/20/2024 14:21	S24-4736	Guardhouse, San Antonio South	ABSENCE	ABSENCE	< 1
BRGY. ZAPOTE					
08/05/2024 12:39	S24-4293	Clubhouse, Jubilation Village – West	ABSENCE	ABSENCE	< 1
08/21/2024 13:49	S24-4784	Clubhouse, Althea Residences	ABSENCE	ABSENCE	< 1

REMARKS: Sample collection was performed by LWC Field analyst/Laboratory technicians and were analyzed as submitted.

LEGEND: **HPC** – Heterotrophic Plate Count; **CFU** – Colony Forming Units; **MDL** – Method Detection Limit; **LOQ** – Limit of Quantification; **NA** – Not Applicable; (-) Not performed

DEVIATIONS: No deviation noted on sample collection and submission.


METHODS: **A**- Enzyme Substrate; **B** – Pour Plate

METHOD REFERENCE: Standard Methods for the Examination of Water and Wastewater, 23rd Edition

NOT VALID WITHOUT QR CODE



REVIEWED BY:


NOWEL ELLISON G. RAMOS, RMT
Microbiology Unit Manager
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:


ANNA KARLA S. GUTIERREZ, RMT
Laboratory Services Manager
License No(s). (PRC 0060968)

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis.