

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**CUSTOMER NAME : LAGUNA AAAWATER CORPORATION**

**ADDRESS : G/F One Evotech Building, Lakeside Evozone, Nuvali, Brgy. Santo Domingo, Santa Rosa City, Laguna**

**ATTENTION : BIÑAN CITY HEALTH OFFICE**

**SUMMARY OF LABORATORY ANALYSIS**

**NO. OF SAMPLES : 75**

**TOTAL PARAMETERS TESTED: 3**

**ANALYSIS DATE(S) : 09/04/2023-09/29/2023**

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM <sup>A</sup>		HPC <sup>B</sup> (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
<b>BRGY. BIÑAN</b>					
09/25/2023 11:51	S23-5267	Laguna Wellfield 1	ABSENCE	ABSENCE	< 1
09/14/2023 13:53	S23-5068	Guardhouse Entrance, Phase 4C, San Jose Village I	ABSENCE	ABSENCE	< 1
09/14/2023 14:29	S23-5069	Guardhouse Entrance, Phase 3B, San Jose Village II	ABSENCE	ABSENCE	< 1
09/14/2023 14:50	S23-5070	Pump 11, Phase 5, San Jose Village II	ABSENCE	ABSENCE	< 1
09/14/2023 14:59	S23-5071	Clubhouse, Phase 5, San Jose Village II	ABSENCE	ABSENCE	< 1
09/14/2023 14:29	S23-5072	Clubhouse, Phase 6, San Jose Village III	ABSENCE	ABSENCE	< 1
09/14/2023 14:10	S23-5073	Main Gate, AVIDA Shophouse	ABSENCE	ABSENCE	< 1
09/14/2023 15:12	S23-5074	DLSU Science and Technology Complex, LTI Spine Road	ABSENCE	ABSENCE	< 1
<b>BRGY. CANLALAY</b>					
09/07/2023 12:27	S23-4872	Clubhouse, Golden City Subdivision	ABSENCE	ABSENCE	< 1
09/07/2023 12:41	S23-4873	Drinking Fountain, Canlalay Elementary School	ABSENCE	ABSENCE	< 1
<b>BRGY. DELA PAZ</b>					
09/07/2023 11:53	S23-4878	Water Pump, Almeda Subdivision	ABSENCE	ABSENCE	< 1
<b>BRGY. GANADO</b>					
09/05/2023 09:30	S23-4792	Ganado Elementary School	ABSENCE	ABSENCE	< 1
<b>BRGY. HALANG</b>					
09/07/2023 12:54	S23-4868	9999 Water Pump Metroville Complex	ABSENCE	ABSENCE	< 1
09/07/2023 13:05	S23-4869	Block 30 Lot 17, Metroville Complex	ABSENCE	ABSENCE	< 1
<b>BRGY. LANGKIWA</b>					
09/19/2023 10:10	S23-5129	Water Pump, Southville 5A	ABSENCE	ABSENCE	< 1

NOT VALID WITHOUT QR CODE




REVIEWED BY:



NOWEL ELLISON G. RAMOS, RMT  
Microbiology Unit Manager  
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:



ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager  
License No(s). (PRC 0060968)

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis.*

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER9		
			COLIFORM <sup>A</sup>		HPC <sup>B</sup> (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
09/19/2023 09:51	S23-5126	Drinking Fountain, Southville 5A National High School	ABSENCE	ABSENCE	< 1
09/19/2023 09:30	S23-5127	Drinking Fountain, Langkiwa Elementary School	ABSENCE	ABSENCE	< 1
09/27/2023 09:40	S23-5298	Block 3 Lot 9, Phase II, Southville	ABSENCE	ABSENCE	< 1
<b>BRGY. LOMA</b>					
09/19/2023 08:59	S23-5123	Block 43 Lot 13, Celina Technopark	ABSENCE	ABSENCE	< 1
09/14/2023 10:18	S23-5051	Block 10 Lot 24, Laguna Bel-Air III	ABSENCE	ABSENCE	< 1
09/14/2023 10:32	S23-5052	Clubhouse, Laguna Bel-Air III	ABSENCE	ABSENCE	< 1
09/19/2023 08:40	S23-5125	Drinking Fountain, Loma Elementary	ABSENCE	ABSENCE	< 1
<b>BRGY. MAMPLASAN</b>					
09/19/2023 11:39	S23-5124	Clubhouse, Verdana Homes Subdivision	ABSENCE	ABSENCE	< 1
09/05/2023 09:55	S23-4793	Amherst Laboratories, (UNILAB) Inc.	ABSENCE	ABSENCE	< 1
<b>BRGY. POBLACION</b>					
09/07/2023 11:36	S23-4879	Barangay Hall	ABSENCE	ABSENCE	< 1
<b>BRGY. PLATERO</b>					
09/04/2023 11:02	S23-4762	Clubhouse, Mondo Bambini	ABSENCE	ABSENCE	< 1
09/04/2023 12:31	S23-4763	Elevated Water Tank, Prima Casa	ABSENCE	ABSENCE	< 1
09/04/2023 12:42	S23-4764	Clubhouse, Prima Casa	ABSENCE	ABSENCE	< 1
09/04/2023 13:04	S23-4765	Water Pump, Springtime	ABSENCE	ABSENCE	< 1
09/04/2023 13:17	S23-4766	Block 7 Lot 10, Springtime	ABSENCE	ABSENCE	< 1
09/05/2023 13:01	S23-4795	Sea-oil, National Road	ABSENCE	ABSENCE	< 1
09/05/2023 13:21	S23-4797	Drinking Fountain, St. Michael School	ABSENCE	ABSENCE	< 1
09/04/2023 11:48	S23-4770	Water Pump, Jubilation Village - East	ABSENCE	ABSENCE	< 1
09/04/2023 12:13	S23-4771	Clubhouse, Jubilation Village - East	ABSENCE	ABSENCE	< 1
09/04/2023 11:18	S23-4768	Water Pump, Jubilation Village - South	ABSENCE	ABSENCE	< 1
09/04/2023 11:28	S23-4769	Clubhouse, Jubilation Village - South	ABSENCE	ABSENCE	< 1
09/04/2023 10:08	S23-4758	Water Pump, Summer Breeze	ABSENCE	ABSENCE	< 1
09/04/2023 10:21	S23-4759	Clubhouse, Summer Breeze	ABSENCE	ABSENCE	1

NOT VALID WITHOUT QR CODE



REVIEWED BY:



NOWEL ELLISON G. RAMOS, RMT  
Microbiology Unit Manager  
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:



ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager  
License No(s). (PRC 0060968)

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis.

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM <sup>A</sup>		HPC <sup>B</sup> (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
<b>BRGY. SAN ANTONIO</b>					
09/05/2023 11:24	S23-4803	Water Pump, Biñan City Hall	ABSENCE	ABSENCE	< 1
09/05/2023 11:31	S23-4804	Alonte Stadium	ABSENCE	ABSENCE	< 1
09/05/2023 12:25	S23-4798	Water Pump, Margarita Homes Subdivision	ABSENCE	ABSENCE	< 1
09/05/2023 12:32	S23-4799	Block 1 Lot 12, Margarita Homes	ABSENCE	ABSENCE	< 1
09/07/2023 11:08	S23-4874	9022 Water Pump, Faraon Subdivision	ABSENCE	ABSENCE	< 1
09/07/2023 09:54	S23-4880	Drinking Fountain, Jacobo Z Gonzales Memorial National High School	ABSENCE	ABSENCE	< 1
09/05/2023 11:38	S23-4800	Cistern Tank, Pavilion Mall	ABSENCE	ABSENCE	< 1
09/05/2023 11:40	S23-4801	Pan De Manila, Pavilion Mall	ABSENCE	ABSENCE	1
09/07/2023 10:52	S23-4875	Malaban Health Center	ABSENCE	ABSENCE	< 1
09/07/2023 10:30	S23-4876	Wash Area 1, Malaban Elementary School	ABSENCE	ABSENCE	< 1
09/07/2023 10:39	S23-4877	Wash Area 2, Malaban Elementary School	ABSENCE	ABSENCE	< 1
<b>BRGY. SANTO NIÑO</b>					
09/05/2023 12:04	S23-4802	Jollibee National Hi-Way	ABSENCE	ABSENCE	1
<b>BRGY. SAN VICENTE</b>					
09/27/2023 12:16	S23-5297	407 Water Pump, San Vicente Subdivision	ABSENCE	ABSENCE	< 1
09/27/2023 12:22	S23-5299	Drinking Fountain, San Vicente Elementary School	ABSENCE	ABSENCE	< 1
09/27/2023 11:14	S23-5300	Block 8 Lot 6 Bayabas St., Phase 7 Olivarez Homes	ABSENCE	ABSENCE	< 1
09/27/2023 12:48	S23-5301	Cistern Tank, Central Mall	ABSENCE	ABSENCE	< 1
09/05/2023 12:56	S23-4796	Biñan Doctor's Hospital	ABSENCE	ABSENCE	< 1
<b>BRGY. SANTO TOMAS</b>					
09/05/2023 10:41	S23-4794	Water Pump, Adelina Complex 3	ABSENCE	ABSENCE	< 1
09/27/2023 11:40	S23-5307	Block 1 Lot 5, Bais St., Pragmatic	ABSENCE	ABSENCE	< 1
09/05/2023 11:03	S23-4806	HOA Office, Adelina Complex	ABSENCE	ABSENCE	< 1
09/27/2023 12:00	S23-5296	Tawi Tawi St. South City Homes	ABSENCE	ABSENCE	< 1
09/27/2023 11:18	S23-5294	Water Pump, South Plains II Subdivision	ABSENCE	ABSENCE	< 1
09/27/2023 11:29	S23-5295	Block 11 Lot 2, South Plains II Subdivision	ABSENCE	ABSENCE	< 1

NOT VALID WITHOUT QR CODE



REVIEWED BY:



NOWEL ELLISON G. RAMOS, RMT  
Microbiology Unit Manager  
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:



ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager  
License No(s). (PRC 0060968)

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis.

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM <sup>A</sup>		HPC <sup>B</sup> (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
09/27/2023 10:01	S23-5302	Water Pump, Town & Country, Amsterdam St.	ABSENCE	ABSENCE	< 1
09/27/2023 10:14	S23-5303	Blk 35 Lot 21, Southville Town & Country	ABSENCE	ABSENCE	< 1
09/27/2023 10:24	S23-5304	Blk 2 Lot 5, Town & Country, Pennsylvania	ABSENCE	ABSENCE	< 1
09/27/2023 10:50	S23-5305	Water Pump, Phase 4, Olivarez Homes South	ABSENCE	ABSENCE	< 1
09/27/2023 11:10	S23-5306	Blk 1 Lt 4, Phase 4, Olivarez Homes South	ABSENCE	ABSENCE	< 1
<b>BRGY. SORO – SORO</b>					
09/07/2023 12:35	S23-4870	Water Pump, 9067 Manila S Road	ABSENCE	ABSENCE	< 1
09/07/2023 13:23	S23-4871	#76 Manila S Road	ABSENCE	ABSENCE	< 1
<b>BRGY. TIMBAO</b>					
09/19/2023 11:00	S23-5128	Guardhouse, San Antonio South	ABSENCE	ABSENCE	< 1
<b>BRGY. ZAPOTE</b>					
09/04/2023 10:37	S23-4760	Elevated Water Tank, Evergreen	ABSENCE	ABSENCE	< 1
09/04/2023 10:51	S23-4761	Clubhouse, Evergreen	ABSENCE	ABSENCE	< 1
09/04/2023 13:41	S23-4767	Clubhouse, Jubilation Village – West	ABSENCE	ABSENCE	390
09/04/2023 13:32	S23-4772	Water Pump, Jubilation Village-West	ABSENCE	ABSENCE	3
09/05/2023 10:16	S23-4805	Clubhouse, Althea Residences	ABSENCE	ABSENCE	< 1

REMARKS: Sample collection was performed by LWC Field analyst/Laboratory technicians and were analyzed as submitted.

LEGEND: **HPC** – Heterotrophic Plate Count; **CFU** – Colony Forming Units; **MDL** – Method Detection Limit; **LOQ** – Limit of Quantification; **NA** – Not Applicable; ( - ) Not performed


DEVIATIONS: No deviation noted on sample collection and submission.

METHODS: **A**- Enzyme Substrate; **B** – Pour Plate


NOT VALID WITHOUT QR CODE



REVIEWED BY:

  
NOWEL ELLISON G. RAMOS, RMT  
Microbiology Unit Manager  
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:

  
ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager  
License No(s). (PRC 0060968)