

| | | |
|-------------------------------------------------|-------------------------------------|------------------------------------|
| CITY/MUNICIPALITY : SANTA ROSA | MONTH : June | YEAR : 2019 |
| DOH ACCREDITATION NO : 04A-001-1820-LW-2 | VALIDITY : December 31, 2020 | DOCUMENT NO. : 19WQM-06-STR |

| NO | SAMPLE LOCATION | | | MICROBIOLOGICAL QUALITY | | |
|------------------------|-----------------------------------------------------|------|----------------|-------------------------|-------------------------------|-------------------------|
| | ADDRESS | TYPE | DATE COLLECTED | HPC ¹ | Coliforms/100 mL ² | |
| | | | | CFU/mL | TOTAL | <i>Escherichia coli</i> |
| BRGY. BALIBAGO | | | | | | |
| 1 | #1354 Facundo Compound | D | 13-Jun | - | ABSENCE | ABSENCE |
| 2 | 5555 Water Pump Elevated, South Hampton | S | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 3 | Clubhouse, South Hampton | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 4 | Block 5 Lot 19, JB Village, Sta. Rosa Tagaytay Road | D | 18-Jun | < 1 | ABSENCE | ABSENCE |
| BRGY. DILA | | | | | | |
| 5 | Phase 3E, Mabuhay Homes 2000 | S | 18-Jun | < 1 | ABSENCE | ABSENCE |
| 6 | Block 2 Lot 10, Mabuhay Homes 2000 | D | 18-Jun | 4 | ABSENCE | ABSENCE |
| 7 | Block 12, Phase 2E, Mabuhay Homes 2000 | S | 18-Jun | 1 | ABSENCE | ABSENCE |
| 8 | Block 13 Lot 5, Phase 2E, Mabuhay Homes 2000 | D | 18-Jun | < 1 | ABSENCE | ABSENCE |
| 9 | Drinking Fountain, Dila Elementary School | D | 18-Jun | < 1 | ABSENCE | ABSENCE |
| BRGY. DITA | | | | | | |
| 10 | Block 24 Lot 2, New Santa Rosa Homes | S | 18-Jun | 17 | ABSENCE | ABSENCE |
| 11 | Block 19 Lot 11, New Santa Rosa Homes | D | 18-Jun | < 1 | ABSENCE | ABSENCE |
| 12 | Block 4 Lot 32, San Lorenzo Royale | S | 17-Jun | 6 | ABSENCE | ABSENCE |
| 13 | Block 11 Lot 52, San Lorenzo Royale | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 14 | Water Tank, SolCar Ville Subdivision | S | 18-Jun | < 1 | ABSENCE | ABSENCE |
| 15 | Block 3 Lot 7, SolCar Ville Subdivision | D | 18-Jun | 2 | ABSENCE | ABSENCE |
| 16 | Clubhouse, Villa Esmeralda | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 17 | #1780 National Road | D | 18-Jun | 23 | ABSENCE | ABSENCE |
| 18 | R & B Ice Plant, Inc. | D | 18-Jun | < 1 | ABSENCE | ABSENCE |
| 19 | Science High School, Phase 1, Laguna Bel-Air | D | 18-Jun | < 1 | ABSENCE | ABSENCE |
| 20 | 56 Cypress, Laguna Bel-Air | D | 18-Jun | < 1 | ABSENCE | ABSENCE |
| 21 | Church, Block 108, Phase 5, Laguna Bel-Air | D | 18-Jun | 2 | ABSENCE | ABSENCE |
| 22 | Block 47 Lot 12 Laguna Bel-Air IV | D | 18-Jun | 7 | ABSENCE | ABSENCE |
| 23 | 8001, Pump 1, Acacia St., Santa Rosa Village I | S | 18-Jun | 17 | ABSENCE | ABSENCE |
| 24 | Clubhouse, Phase 4B, Santa Rosa Village I | D | 18-Jun | < 1 | ABSENCE | ABSENCE |
| 25 | Clubhouse, Santa Rosa Village II | D | 18-Jun | < 1 | ABSENCE | ABSENCE |
| 26 | Pump 9 & 10, Santa Rosa Estates I | S | 18-Jun | 34 | ABSENCE | ABSENCE |
| 27 | Clubhouse Santa Rosa Estates I | D | 18-Jun | < 1 | ABSENCE | ABSENCE |
| BRGY. DON JOSE | | | | | | |
| 28 | Drinking Fountain, Don Jose National High School | D | 18-Jun | < 1 | ABSENCE | ABSENCE |
| BRGY. MACABLING | | | | | | |
| 29 | Deepwell, Buena Rosa 9 Subdivision | S | 13-Jun | - | ABSENCE | ABSENCE |
| 30 | Block 4 Lot 26, Phase 2, Buena Rosa 9 Subdivision | D | 13-Jun | - | ABSENCE | ABSENCE |
| 31 | Deepwell, Corinthian Subdivision | S | 13-Jun | - | ABSENCE | ABSENCE |
| 32 | Block 11 Lot 19, Corinthian Subdivision | D | 13-Jun | - | ABSENCE | ABSENCE |
| 33 | Water Pump, Metrogate | S | 18-Jun | 8 | ABSENCE | ABSENCE |
| 34 | Clubhouse, Metrogate | D | 18-Jun | < 1 | ABSENCE | ABSENCE |
| BRGY. MALITLIT | | | | | | |
| 35 | Clubhouse Casan Residencia Subdivision | D | 18-Jun | < 1 | ABSENCE | ABSENCE |
| 36 | Block 3 Lot 1, Phase 1A Annex, San Lorenzo Subd. | S | 17-Jun | < 1 | ABSENCE | ABSENCE |


| | | | | | | |
|-------------------------------|-----------------------------------------------------|-----------|------------------------|----------------|----------------|----------------|
| 37 | Block 5 Lot 25, Phase 1A Annex, San Lorenzo Subd. | D | 17-Jun | 1 | ABSENCE | ABSENCE |
| 38 | Main Road, Phase 2, Terra Fortuna | S | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 39 | Block 11 Lot 16, Terra Fortuna | D | 17-Jun | 2 | ABSENCE | ABSENCE |
| 40 | 9999 W, Villa Las Casas | S | 17-Jun | 120 | ABSENCE | ABSENCE |
| 41 | Block 1 Lot 17, Villa Las Casas | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 42 | Drinking Fountain, Malitlit Elementary School | D | 18-Jun | < 1 | ABSENCE | ABSENCE |
| 43 | Blowoff, Eton City | D | 18-Jun | < 1 | ABSENCE | ABSENCE |
| BRGY. POOC | | | | | | |
| 44 | Deepwell, Alinsod | S | 24-Jun | < 1 | ABSENCE | ABSENCE |
| 45 | Tank, Villa Mercedes | S | 24-Jun | < 1 | PRESENCE | ABSENCE |
| 46 | Block 2 Lot 1, Villa Mercedes | D | 24-Jun | < 1 | ABSENCE | ABSENCE |
| 47 | Drinking Fountain 1,Pulong Sta.Cruz Elementary Sch. | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 48 | Drinking Fountain 2,Pulong Sta.Cruz Elementary Sch. | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 49 | Block 6 Lot 8, Buklod Diwa | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| BRGY. SANTO DOMINGO | | | | | | |
| 50 | Clubhouse Santa Rosa Estates II | D | 18-Jun | < 1 | ABSENCE | ABSENCE |
| TOTAL SAMPLES ANALYZED | | 50 | PNSDW LIMIT | <500 | ABSENCE | ABSENCE |

REMARKS: Samples analyzed as submitted

LEGEND: HPC - Heterotrophic Plate Count, S - Source, D - Distribution

METHODS USED: ¹Pour Plate, ²Enzyme Substrate (Colilert®-18)

CERTIFIED CORRECT:


ANNA KARLA S. GUTIERREZ, RMT
 Microbiologist
 PRC License No. 0060968

NOTED BY:


CYRIL A. ERICA, RMT, MLS(ASCP)^{CM}
 Laboratory Services Manager
 License No(s). (PRC 0054161/ASCP 10981)

| | | | | | |
|----------------------------|---------------------|-----------------|---------------------|---------------------|----------------|
| CITY/MUNICIPALITY | : SANTA ROSA | MONTH | : June | YEAR | : 2019 |
| DOH ACCREDIATION NO | : 04A-001-1820-LW-2 | VALIDITY | : December 31, 2020 | DOCUMENT NO. | : 19WQM-06-STR |


| NO | SAMPLE LOCATION | | | DATE COLLECTED | MICROBIOLOGICAL QUALITY | | |
|-------------------------------|--------------------------------------------------|------|----------------------------|----------------|-------------------------------|-------------------------|----------------|
| | ADDRESS | TYPE | HPC ¹ CFU/mL | | Coliforms/100 mL ² | | |
| | | | | | TOTAL | <i>Escherichia coli</i> | |
| BRGY. CAINGIN | | | | | | | |
| 1 | Water Pump, Block 57, Phase 1, Southville | S | 25-Jun | 5 | ABSENCE | ABSENCE | |
| 2 | Block 25 Lot 7, Phase 3, Southville | D | 25-Jun | < 1 | ABSENCE | ABSENCE | |
| 4 | Phase 8 & 9, Southville | S | 25-Jun | < 1 | ABSENCE | ABSENCE | |
| 5 | Block 2 Lot 16, Phase 9, Southville | D | 25-Jun | < 1 | ABSENCE | ABSENCE | |
| 6 | Water Pump, Phase 5, Southville | s | 25-Jun | 15 | ABSENCE | ABSENCE | |
| 7 | Southville National High School, Southville | D | 25-Jun | 2 | ABSENCE | ABSENCE | |
| BRGY. KANLURAN | | | | | | | |
| 8 | #621 Rizal Boulevard | D | 24-Jun | < 1 | ABSENCE | ABSENCE | |
| BRGY. LABAS | | | | | | | |
| 9 | Block 18 Lot 2, Alfonso Homes I | D | 24-Jun | 43 | ABSENCE | ABSENCE | |
| BRGY. MALUSAK | | | | | | | |
| 10 | Drinking Fountain 1, Central 1 Elementary Sch. | D | 25-Jun | 4 | ABSENCE | ABSENCE | |
| 11 | Drinking Fountain, Santa Rosa City Hall | D | 24-Jun | < 1 | ABSENCE | ABSENCE | |
| BRGY. MARKET AREA | | | | | | | |
| 12 | Source, Market Area | S | 24-Jun | 1 | ABSENCE | ABSENCE | |
| BRGY. SINALHAN | | | | | | | |
| 13 | Block 8 Lot 16, Bayshore III | D | 24-Jun | 2 | ABSENCE | ABSENCE | |
| 14 | 4026, Sinalhan Road, Purok 2 | S | 24-Jun | < 1 | ABSENCE | ABSENCE | |
| 15 | Amoranto Compund, Phase 2, Sinalhan | D | 24-Jun | 18 | ABSENCE | ABSENCE | |
| BRGY. TAGAPO | | | | | | | |
| 16 | Water Pump, Fairfield of Margana Subdivision | S | 13-Jun | - | ABSENCE | ABSENCE | |
| 17 | Block 2 Lot 21, Fairfield of Margana Subdivision | D | 13-Jun | - | ABSENCE | ABSENCE | |
| 18 | Water Pump, Rosewood Homes I | S | 13-Jun | - | ABSENCE | ABSENCE | |
| 19 | Block 3 Lot 31, Rosewood Homes I | D | 13-Jun | - | ABSENCE | ABSENCE | |
| 20 | Block 4 Lot 1, Rosewood Homes II | D | 13-Jun | - | ABSENCE | ABSENCE | |
| 21 | #31 JP Rizal Boulevard | D | 13-Jun | - | ABSENCE | ABSENCE | |
| 22 | Clubhouse, Buena Rosa 1 Subdivision | D | 13-Jun | - | ABSENCE | ABSENCE | |
| 23 | Water Pump, Buena Rosa 10 Subdivision | S | 13-Jun | - | ABSENCE | ABSENCE | |
| 24 | Block 1 Lot 64, Buena Rosa 10 Subdivision | D | 13-Jun | - | ABSENCE | ABSENCE | |
| 25 | Cistern Tank, SM Sta. Rosa | D | 13-Jun | - | ABSENCE | ABSENCE | |
| 26 | 2nd Floor Faucet, SM Sta. Rosa | D | 13-Jun | - | ABSENCE | ABSENCE | |
| 27 | Cistern Tank, Robinson's Mall | D | 13-Jun | - | ABSENCE | ABSENCE | |
| 28 | Chummie Shawarma, Robinson's Mall | D | 13-Jun | - | ABSENCE | ABSENCE | |
| TOTAL SAMPLES ANALYZED | | | 28 | PNSDW | <500 | ABSENCE | ABSENCE |

REMARKS: Samples analyzed as submitted

LEGEND: HPC - Heterotrophic Plate Count, S - Source, D - Distribution

METHODS USED: ¹Pour Plate, ²Enzyme Substrate (Colilert®-18)

CERTIFIED CORRECT:


ANNA KARLA S. GUTIERREZ, RMT
Microbiologist
PRC License No. 0060968

NOTED BY:


CYRIL A. ERICA, RMT, MLS(ASCP)^{CM}
Laboratory Services Manager
License No(s). (PRC 0054161/ASCP 10981)

| | | |
|-------------------------------------------------|-------------------------------------|------------------------------------|
| CITY/MUNICIPALITY : CABUYAO | MONTH : June | YEAR : 2019 |
| DOH ACCREDITATION NO : 04A-001-1820-LW-2 | VALIDITY : December 31, 2020 | DOCUMENT NO. : 19WQM-06-CAB |

| NO | ADDRESS | TYPE | DATE COLLECTED | MICROBIOLOGICAL QUALITY | | |
|-------------------------------|------------------------------------------------------|-----------|----------------|-------------------------|-------------------------------|----------------|
| | | | | HPC ¹ | Coliforms/100 mL ² | |
| | | | | | CFU/mL | TOTAL |
| BRGY. MAMATID | | | | | | |
| 1 | Tank, Buena Rosario Subdivision | S | 5-Jun | 8 | ABSENCE | ABSENCE |
| 2 | Block 7 Lot 6, Buena Rosario Subdivision | D | 5-Jun | < 1 | ABSENCE | ABSENCE |
| 3 | Block 101 Samar st., Phase 2, Mabuhay City | S | 5-Jun | < 1 | ABSENCE | ABSENCE |
| 4 | Block 94 Lot 57, Guimaras St., Phase 1, Mabuhay City | D | 5-Jun | < 1 | ABSENCE | ABSENCE |
| 5 | Block 141, Carmona St., Phase 2, Mabuhay City | S | 5-Jun | < 1 | ABSENCE | ABSENCE |
| 6 | Block 134 Lot 22, Phase 2, Mabuhay City | D | 5-Jun | < 1 | ABSENCE | ABSENCE |
| 7 | Block 198, Galacia St., Phase 2, Mabuhay City | S | 5-Jun | < 1 | ABSENCE | ABSENCE |
| 8 | Block 222 Lot 20, Mabuhay Ave, Phase 2, Mabuhay | D | 5-Jun | < 1 | ABSENCE | ABSENCE |
| 9 | Panganig St., Phase 3 Cluster, Mabuhay City | S | 20-Jun | - | ABSENCE | ABSENCE |
| 10 | Block 1 Lot 17, Dizon St., Phase 3 Cluster, Mabuhay | D | 20-Jun | - | ABSENCE | ABSENCE |
| 11 | Block 22 Lot 70, Phase 3 Luxury, Mabuhay City | S | 5-Jun | < 1 | ABSENCE | ABSENCE |
| 12 | Block 19 Lot 13, Malang St., Phase 3 Luxury, Mabuhay | D | 5-Jun | < 1 | ABSENCE | ABSENCE |
| 13 | Water Pump, Joshua St., Phase 5, Mabuhay City | S | 20-Jun | - | ABSENCE | ABSENCE |
| 14 | Block 31 Lot 134, Joshua St., Phase 5, Mabuhay City | D | 20-Jun | - | ABSENCE | ABSENCE |
| 15 | Source, Phase 1E Mabuhay Executive | S | 5-Jun | < 1 | ABSENCE | ABSENCE |
| 16 | Block 236 Lot 9, Phase 1E Mabuhay Executive | D | 5-Jun | < 1 | ABSENCE | ABSENCE |
| BRGY. PULO | | | | | | |
| 17 | Water Pump, Block 12 Lot 22, Cabuyao Central | S | 20-Jun | - | ABSENCE | ABSENCE |
| 18 | Clubhouse, Narra Avenue, Cabuyao Central | D | 20-Jun | - | ABSENCE | ABSENCE |
| 19 | Water Pump, Block 11, Willow Park Homes | S | 20-Jun | - | ABSENCE | ABSENCE |
| 20 | Clubhouse, Willow Park Homes | D | 20-Jun | - | ABSENCE | ABSENCE |
| TOTAL SAMPLES ANALYZED | | 20 | PNSDW | <500 | ABSENCE | ABSENCE |

REMARKS: Samples analyzed as submitted

LEGEND: HPC - Heterotrophic Plate Count, S - Source, D - Distribution

METHODS USED: ¹Pour Plate, ²Enzyme Substrate (Colilert®-18)

CERTIFIED CORRECT:

ANNA KARLA S. GUTIERREZ, RMT

Microbiologist

PRC License No. 0060968

NOTED BY:

CYRIL A. ERICA, RMT, MLS(ASCP)^{CM}

Laboratory Services Manager

License No(s). (PRC 0054161/ASCP 10981)

| CITY/MUNICIPALITY : CABUYAO | | MONTH : June | | YEAR : 2019 | | |
|-----------------------------------------|-----------------------------------------------------|------------------------------|----------------|-----------------------------|-------------------------------|----------------|
| DOH ACCREDIATION NO : 04A-001-1820-LW-2 | | VALIDITY : December 31, 2020 | | DOCUMENT NO. : 19WQM-06-CAB | | |
| NO | ADDRESS | TYPE | DATE COLLECTED | MICROBIOLOGICAL QUALITY | | |
| | | | | HPC ¹ | Coliforms/100 mL ² | |
| | | | | | CFU/mL | TOTAL |
| BRGY. BANAY-BANAY | | | | | | |
| 1 | Water Pump, Block 63, Lakeside Nest Subdivision | S | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 2 | Block 12, Lot 5, Phase 4, Lakeside Nest Subdivision | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| BRGY. BANLIC | | | | | | |
| 3 | Water Pump, Gran Seville Subdivision | S | 20-Jun | - | ABSENCE | ABSENCE |
| 4 | Gate Entrance, Gran Seville Subdivision | D | 20-Jun | - | ABSENCE | ABSENCE |
| BRGY. BIGAA | | | | | | |
| 5 | #253 Elsol Subdivision | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| BRGY. GULOD | | | | | | |
| 6 | Block 12, Noah St., Celestine Ville | S | 5-Jun | < 1 | ABSENCE | ABSENCE |
| 7 | Guardhouse, Celestine Ville | D | 5-Jun | < 1 | ABSENCE | ABSENCE |
| BRGY. MARINIG | | | | | | |
| 8 | Block 3 Lot 17, Phase 1, Celestine Homes | S | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 9 | Block 23, Lot 10, Phase 1, Celestine Homes | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 10 | Block 9, Carnation St., Phase 2, Celestine Homes | S | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 11 | Block 13 Lot 2, Phase 2, Celestine Homes | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| BRGY. NIUGAN | | | | | | |
| 12 | Water Pump, Block 25, Phase 3, Southville | S | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 13 | Block 19 Lot 33, Phase 3, Southville | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 14 | Block 2 Lot 6, St. Francis Homes 6 | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 15 | Water Pump, Block 45, Phase 8, Southville | S | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 16 | Block 40 Lot 132, Southville | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 17 | Water Pump, Block 54, Phase 10, Southville | S | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 18 | Block 47 Lot 101, Phase 10, Southville | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| BRGY. SAN ISIDRO | | | | | | |
| 19 | Block 3 Lot 33, Multiland IV | D | 20-Jun | - | ABSENCE | ABSENCE |
| 20 | Water Pump, San Isidro Heights Subdivision | S | 20-Jun | - | ABSENCE | ABSENCE |
| 21 | Block 3 Lot 1, San Isidro Heights Subdivision | D | 20-Jun | - | ABSENCE | ABSENCE |
| TOTAL SAMPLES ANALYZED | | 21 | PNSDW | < 1 | ABSENCE | ABSENCE |

REMARKS: Samples analyzed as submitted

LEGEND: HPC - Heterotrophic Plate Count, S - Source, D - Distribution

METHODS USED: ¹Pour Plate, ²Enzyme Substrate (Colilert®-18)

CERTIFIED CORRECT:

ANNA KARLA S. GUTIERREZ, RMT

Microbiologist

PRC License No. 0060968

NOTED BY:

CYRIL A. ERICA, RMT, MLS(ASCP)^{CM}

Laboratory Services Manager

License No(s). (PRC 0054161/ASCP 10981)

| CITY/MUNICIPALITY | | BIÑAN | | MONTH | | June | | YEAR | | 2019 | |
|------------------------|------------------------------------------------------|-------------------|------------------|----------------|-------------------------------|-------------------------|----------|--------------|--|--------------|--|
| DOH ACCREDITATION NO. | | 04A-001-1820-LW-2 | | VALIDITY | | December 31, 2020 | | DOCUMENT NO. | | 19WQM-06-BIN | |
| NO | SAMPLE LOCATION | | | DATE COLLECTED | MICROBIOLOGICAL QUALITY | | | | | | |
| | ADDRESS | TYPE | HPC ¹ | | Coliforms/100 mL ² | | | | | | |
| | | | CFU/mL | | TOTAL | <i>Escherichia coli</i> | | | | | |
| BRGY. BIÑAN | | | | | | | | | | | |
| 1 | Laguna Well Field 1 | | | S | 3-Jun | 2 | ABSENCE | ABSENCE | | | |
| 2 | Guardhouse Entrance, Phase 4C, San Jose Village I | | | D | 6-Jun | - | ABSENCE | ABSENCE | | | |
| 3 | Clubhouse, Phase 3B, San Jose Village I | | | D | 6-Jun | - | ABSENCE | ABSENCE | | | |
| 4 | Pump 11, Phase 5, San Jose Village II | | | S | 6-Jun | - | ABSENCE | ABSENCE | | | |
| 5 | Clubhouse, Phase 5, San Jose Village II | | | D | 6-Jun | - | ABSENCE | ABSENCE | | | |
| 6 | Clubhouse, Phase 6, San Jose Village III | | | D | 6-Jun | - | ABSENCE | ABSENCE | | | |
| 7 | Guardhouse, AVIDA Shophouse | | | D | 6-Jun | - | ABSENCE | ABSENCE | | | |
| 8 | De La Salle University and Technology Complex | | | D | 6-Jun | - | ABSENCE | ABSENCE | | | |
| BRGY. CANLALAY | | | | | | | | | | | |
| 9 | Clubhouse, Golden City Canlalay | | | D | 17-Jun | < 1 | ABSENCE | ABSENCE | | | |
| 10 | Drinking Fountain, Canlalay Elementary School | | | D | 17-Jun | < 1 | ABSENCE | ABSENCE | | | |
| BRGY. DELA PAZ | | | | | | | | | | | |
| 11 | Water Pump, Almeda Subdivision | | | S | 17-Jun | < 1 | ABSENCE | ABSENCE | | | |
| 12 | Barangay Hall | | | D | 17-Jun | 2 | ABSENCE | ABSENCE | | | |
| BRGY. GANADO | | | | | | | | | | | |
| 13 | Drinking Fountain, Ganado Elementary School | | | D | 24-Jun | 3 | ABSENCE | ABSENCE | | | |
| BRGY. HALANG | | | | | | | | | | | |
| 14 | 9999 WP Metroville Complex | | | S | 17-Jun | < 1 | ABSENCE | ABSENCE | | | |
| 15 | Clubhouse, Metroville Complex | | | D | 17-Jun | < 1 | ABSENCE | ABSENCE | | | |
| BRGY. LANGKIWA | | | | | | | | | | | |
| 16 | Block 3 Lot 9, Phase II, Southville, Langkiwa | | | D | 17-Jun | < 1 | ABSENCE | ABSENCE | | | |
| BRGY. LOMA | | | | | | | | | | | |
| 17 | Water Pump, Block 4 Lot 37, Celina Technopark | | | S | 6-Jun | - | ABSENCE | ABSENCE | | | |
| 18 | Block 43 Lot 13, Celina Technopark | | | D | 6-Jun | - | ABSENCE | ABSENCE | | | |
| 19 | Brenna Model House, Block 90 Lot 5, Laguna Bel-Air 3 | | | D | 18-Jun | < 1 | ABSENCE | ABSENCE | | | |
| 20 | Block 10 Lot 24, Laguna Bel-Air 3 | | | D | 18-Jun | < 1 | ABSENCE | ABSENCE | | | |
| 21 | Clubhouse, Laguna Bel-Air 3 | | | D | 18-Jun | < 1 | ABSENCE | ABSENCE | | | |
| 22 | Drinking Fountain, Loma Elementary School | | | D | 6-Jun | - | ABSENCE | ABSENCE | | | |
| BRGY. MAMPLASAN | | | | | | | | | | | |
| 23 | Clubhouse, Verdana Homes Subdivision | | | D | 6-Jun | - | ABSENCE | ABSENCE | | | |
| 24 | United Laboratories (UNILAB) Inc. | | | D | 24-Jun | < 1 | ABSENCE | ABSENCE | | | |
| BRGY. POBLACION | | | | | | | | | | | |
| 25 | Water Pump, Brgy. Poblacion | | | S | 17-Jun | < 1 | ABSENCE | ABSENCE | | | |
| 26 | Brgy. Hall | | | D | 17-Jun | 2 | ABSENCE | ABSENCE | | | |
| BRGY. PLATERO | | | | | | | | | | | |
| 27 | Elevated Water Tank, Mondo Bambini | | | S | 5-Jun | 200 | ABSENCE | ABSENCE | | | |
| 28 | Clubhouse, Mondo Bambini | | | D | 5-Jun | 4 | ABSENCE | ABSENCE | | | |
| 29 | Elevated Water Tank, Prima Casa | | | S | 5-Jun | < 1 | PRESENCE | ABSENCE | | | |
| 30 | Clubhouse, Prima Casa | | | D | 5-Jun | < 1 | ABSENCE | ABSENCE | | | |
| 31 | Water Pump, Spring Time | | | S | 5-Jun | 35 | ABSENCE | ABSENCE | | | |
| 32 | Block 1 Lot 7, Spring Time | | | D | 5-Jun | 4 | ABSENCE | ABSENCE | | | |


| | | | | | | |
|-------------------------------|----------------------------------------------------|-----------|--------------------|----------------|----------------|----------------|
| 33 | Drinking Fountain, St. Michael School of Biñan | D | 24-Jun | < 1 | ABSENCE | ABSENCE |
| 34 | Sea-oil, National Road | D | 24-Jun | 6 | ABSENCE | ABSENCE |
| BRGY. SAN ANTONIO | | | | | | |
| 35 | Biñan City Hall | S | 24-Jun | < 1 | ABSENCE | ABSENCE |
| 36 | Alonte Stadium | D | 24-Jun | < 1 | ABSENCE | ABSENCE |
| 37 | Water Pump, Margarita Homes Subdivision | S | 24-Jun | 3 | ABSENCE | ABSENCE |
| 38 | Block 5 Lot 12, Margarita Homes Subdivision | D | 24-Jun | < 1 | ABSENCE | ABSENCE |
| 39 | 9022 Water Pump (WP) Faraon Subdivision | S | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 40 | Malaban Health Center | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 41 | Drinking Fountain 1, Malaban Elementary School | D | 17-Jun | 2 | ABSENCE | ABSENCE |
| 42 | Drinking Fountain 2, Malaban Elementary School | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 43 | Cistern Tank, Pavillion Mall | D | 24-Jun | < 1 | ABSENCE | ABSENCE |
| 44 | Mesa Inasal, Pavillion Mall | D | 24-Jun | 7 | ABSENCE | ABSENCE |
| BRGY. SANTO NIÑO | | | | | | |
| 45 | Jollibee National Hi-Way | D | 24-Jun | 16 | ABSENCE | ABSENCE |
| BRGY. SAN VICENTE | | | | | | |
| 46 | 407 Water Pump, San Vicente Subdivision | S | 13-Jun | - | ABSENCE | ABSENCE |
| 47 | Block 8 Lot 6, Bayabas St., Phase 8 Olivarez Homes | D | 13-Jun | - | ABSENCE | ABSENCE |
| 48 | Biñan Doctors Hospital | D | 24-Jun | 14 | ABSENCE | ABSENCE |
| 49 | Cistern Tank, Central Mall | D | 13-Jun | - | ABSENCE | ABSENCE |
| 50 | Drinking Fountain, San Vicente Elementary Sch. | D | 13-Jun | - | ABSENCE | ABSENCE |
| 51 | Biñan Intergrated National High School | D | 13-Jun | - | ABSENCE | ABSENCE |
| BRGY. SANTO TOMAS | | | | | | |
| 52 | HOA Office, Adelina Subdivsion | S | 24-Jun | < 1 | ABSENCE | ABSENCE |
| 53 | Block 1 Lot 16, Phase 4, Olivarez Homes South | D | 13-Jun | - | ABSENCE | ABSENCE |
| 54 | Water Pump, Pragmatic | S | 13-Jun | - | ABSENCE | ABSENCE |
| 55 | Block 1 Lot 5, Bais St., Pragmatic | D | 13-Jun | - | ABSENCE | ABSENCE |
| 56 | Tawi Tawi St., Phase 6, South City Homes | D | 13-Jun | - | ABSENCE | ABSENCE |
| 57 | Pump, South Plains II Subdivision | S | 13-Jun | - | ABSENCE | ABSENCE |
| 58 | Block 11 Lot 2, South Plains II Subdivision | D | 13-Jun | - | ABSENCE | ABSENCE |
| 59 | Block 35 Lot 21, Southville Town and Country | D | 13-Jun | - | ABSENCE | ABSENCE |
| 60 | Water Pump, Town & Country - Amsterdam | S | 13-Jun | - | ABSENCE | ABSENCE |
| 61 | Block 35 Lot 21, Town & Country - Amsterdam | D | 13-Jun | - | ABSENCE | ABSENCE |
| 62 | Block 2 Lot 5, Town & Country - Pennsylvania | D | 13-Jun | - | ABSENCE | ABSENCE |
| BRGY. SORO - SORO | | | | | | |
| 63 | 9067 Soro-soro | S | 17-Jun | < 1 | ABSENCE | ABSENCE |
| 64 | #76 Soro-Soro | D | 17-Jun | < 1 | ABSENCE | ABSENCE |
| BRGY. TUBIGAN | | | | | | |
| 65 | #60 Florinda Compound | D | 13-Jun | - | ABSENCE | ABSENCE |
| BRGY. ZAPOTE | | | | | | |
| 66 | Wate Pump, Summer Breeze | S | 5-Jun | 7 | ABSENCE | ABSENCE |
| 67 | Clubhouse, Summer Breeze | D | 5-Jun | < 1 | ABSENCE | ABSENCE |
| 68 | Elevated Water Tank, Evergreen | S | 5-Jun | 4 | ABSENCE | ABSENCE |
| 69 | Clubhouse, Evergreen | D | 5-Jun | < 1 | ABSENCE | ABSENCE |
| 70 | Clubhouse, Althea | D | 24-Jun | 29 | ABSENCE | ABSENCE |
| TOTAL SAMPLES ANALYZED | | 70 | PNSDW LIMIT | <500 | ABSENCE | ABSENCE |

REMARKS: Samples analyzed as submitted

LEGEND: HPC - Heterotrophic Plate Count, S - Source, D - Distribution

METHODS USED: ¹Pour Plate, ²Enzyme Substrate (Colilert®-18)

CERTIFIED CORRECT:


ANNA KARLA S. GUTIERREZ, RMT
Microbiologist
PRC License No. 0060968

NOTED BY:


CYRIL A. ERICA, RMT, MLS(ASCP)^{CM}
Laboratory Services Manager
License No(s). (PRC 0054161/ASCP 10981)