

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: www.lagunawater.com.ph

CUSTOMER NAME : Laguna AAWater Corporation

ADDRESS : G/F One Evotech Building, Nuvali, Brgy. Santo Domingo, Santa Rosa City, Laguna 4026

ATTENTION : Santa Rosa City Health Office II

SUMMARY OF LABORATORY ANALYSIS

NO. OF SAMPLES : 38

TOTAL PARAMETERS TESTED : 3

ANALYSIS DATE(S) : 05/04/2026-05/21/2026

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
BRGY. BIÑAN					
05/06/2026 12:14	S26-2723	Laguna Wellfield I	ABSENCE	ABSENCE	< 1
BRGY. BALIBAGO					
05/05/2026 14:24	S26-2693	#4354 Facundo Compound	ABSENCE	ABSENCE	< 1
05/07/2026 09:31	S26-2760	Clubhouse, South Hampton Residences	ABSENCE	ABSENCE	< 1
05/20/2026 12:40	S26-3134	Block 5 Lot 25, JB Village	ABSENCE	ABSENCE	< 1
05/21/2026 10:43	S26-3195	Cistern Tank, Waltermart Santa Rosa	ABSENCE	ABSENCE	< 1
05/21/2026 10:32	S26-3196	2nd Floor Faucet, Waltermart Santa Rosa	ABSENCE	ABSENCE	< 1
BRGY. DILA					
05/20/2026 11:10	S26-3124	Water Pump, Phase III E, Mabuhay Homes 2000, Golden City Subdivision	ABSENCE	ABSENCE	< 1
05/20/2026 11:22	S26-3125	Block 2 Lot 10, Phase III E, Mabuhay Homes 2000, Golden City Subdivision	ABSENCE	ABSENCE	< 1
05/20/2026 10:49	S26-3126	Water Pump, Block 12, Phase II E, Mabuhay Homes 2000	ABSENCE	ABSENCE	< 1
05/20/2026 10:57	S26-3127	Block 13 Lot 5, Phase 2 E, Mabuhay Homes 2000	ABSENCE	ABSENCE	< 1
05/07/2026 10:53	S26-2761	Clubhouse, Alabaster St., Villa Esmeralda	ABSENCE	ABSENCE	< 1
05/20/2026 11:35	S26-3128	Drinking Fountain, Dila Elementary	ABSENCE	ABSENCE	< 1
BRGY. DITA					
05/20/2026 08:45	S26-3129	Block 19 Lot 11, New Santa Rosa Homes	ABSENCE	ABSENCE	< 1
05/20/2026 09:35	S26-3131	Block 3 Lot 7, SolCar Ville Subdivision	ABSENCE	ABSENCE	< 1
05/20/2026 09:54	S26-3132	#1780, National Road	ABSENCE	ABSENCE	< 1
05/20/2026 10:10	S26-3137	R & B Ice Plant, Inc.	ABSENCE	ABSENCE	< 1
05/07/2026 10:41	S26-2762	Gate Entrance, San Lorenzo Royale	ABSENCE	ABSENCE	< 1

NOT VALID WITHOUT QR CODE



REVIEWED BY:

Mabenojar
MARVIN JASPER G. ABENOJAR
Microbiology Unit Manager

APPROVED BY:

Kristeen Y. Alday
KRISTEEN Y. ALDAY, RCh
Laboratory Service Manager
License No(s). (PRC 0013295)

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: www.lagunawater.com.ph

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
BRGY. DON JOSE					
05/04/2026 10:20	S26-2647	Church, Block 108, Phase V, Laguna Bel-Air	ABSENCE	ABSENCE	32
05/04/2026 11:45	S26-2646	Clubhouse, Phase I, Laguna Bel-Air	ABSENCE	ABSENCE	< 1
05/07/2026 12:18	S26-2766	Block 47 Lot 19, Laguna Bel-Air IV	ABSENCE	ABSENCE	< 1
05/07/2026 13:13	S26-2767	Clubhouse. Phase IV-B, Santa Rosa Village I	ABSENCE	ABSENCE	< 1
05/04/2026 13:48	S26-2642	Clubhouse, Santa Rosa Village II	ABSENCE	ABSENCE	10
05/04/2026 12:13	S26-2643	Pump 9 & 10, Santa Rosa Estates I	ABSENCE	ABSENCE	< 1
05/04/2026 12:18	S26-2644	Clubhouse, Santa Rosa Estates I	ABSENCE	ABSENCE	< 1
05/04/2026 14:04	S26-2650	Drinking Fountain, Don Jose National High School	ABSENCE	ABSENCE	13
BRGY. MACABLING					
05/13/2026 08:27	S26-2914	Block 4 Lot 44, Phase 2, Buena Rosa IX Subdivision	ABSENCE	ABSENCE	< 1
05/13/2026 08:39	S26-2917	Clubhouse, Corinthian Homes Subdivision	ABSENCE	ABSENCE	< 1
BRGY. MALITLIT					
05/20/2026 10:21	S26-3133	Guardhouse, Casan Residencia Subdivision	ABSENCE	ABSENCE	< 1
05/07/2026 10:28	S26-2764	Water pump, Terra Fortuna	ABSENCE	ABSENCE	< 1
05/07/2026 10:18	S26-2763	Block 1 Lot 17, Villa Las Casas	ABSENCE	ABSENCE	< 1
BRGY. POOC					
05/05/2026 11:04	S26-2696	Water Pump, Villa Mercedes	ABSENCE	ABSENCE	< 1
05/05/2026 12:38	S26-2697	Block 2 Lot 1, Villa Mercedes	ABSENCE	ABSENCE	< 1
BRGY. PULONG STA. CRUZ					
05/07/2026 11:27	S26-2757	Water Pump, Buklod Diwa	ABSENCE	ABSENCE	< 1
05/07/2026 11:30	S26-2758	Manzano Residence, Buklod Diwa	ABSENCE	ABSENCE	< 1
05/07/2026 11:10	S26-2759	Wash Area, Pulong Sta. Cruz Elementary School	ABSENCE	ABSENCE	< 1
BRGY. SANTO DOMINGO					
05/04/2026 12:33	S26-2645	Clubhouse, Santa Rosa Estates II	ABSENCE	ABSENCE	< 1
05/03/2026 13:01	S26-2651	Water Pump, Brgy. Sto. Domingo	ABSENCE	ABSENCE	< 1
05/04/2026 13:02	S26-2652	Tope Residence	ABSENCE	ABSENCE	< 1

NOT VALID WITHOUT QR CODE



REVIEWED BY:

Mabenojar
MARVIN JASPER G. ABENOJAR
Microbiology Unit Manager

APPROVED BY:

Kristen Y. Alday
KRISTEN Y. ALDAY, RCh
Laboratory Service Manager
License No(s). (PRC 0013295)

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis.

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: www.lagunawater.com.ph

REMARKS: Sample collection was performed by LAWC Field analyst/Laboratory technicians and were analyzed as submitted.

LEGEND: **HPC** – Heterotrophic Plate Count; **CFU** – Colony Forming Units; **MDL** – Method Detection Limit; **LOQ** – Limit of Quantification; **NA** – Not Applicable (-) Not performed

DEVIATIONS: No deviation noted on sample collection and submission.


METHODS: **A**- Enzyme Substrate; **B**– Pour Plate

METHOD REFERENCE: Standard Methods for the Examination of Water and Wastewater, 24th Edition


NOT VALID WITHOUT QR CODE



REVIEWED BY:


MARVIN JASPER G. ABENOJAR
Microbiology Unit Manager

APPROVED BY:


KRISTEEN Y. ALDAY, RCh
Laboratory Service Manager
License No(s). (PRC 0013295)

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: www.lagunawater.com.ph

CUSTOMER NAME : Laguna AAWater Corporation

ADDRESS : G/F One Evotech Building, Nuvali, Brgy. Santo Domingo, Santa Rosa City, Laguna 4026

ATTENTION : Santa Rosa City Health Office I

SUMMARY OF LABORATORY ANALYSIS

NO. OF SAMPLES : 19

TOTAL PARAMETERS TESTED: 3

ANALYSIS DATE(S) : 05/05/2026-05/20/2026

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
BRGY. BIÑAN					
05/06/2026 12:14	S26-2723	Laguna Wellfield I	ABSENCE	ABSENCE	< 1
BRGY. CAINGIN					
05/05/2026 13:01	S26-2698	Water Pump, Block 57, Phase I, Southville	ABSENCE	ABSENCE	< 1
05/05/2026 13:41	S26-2699	Block 25 Lot 7, Phase 3, Southville	ABSENCE	ABSENCE	< 1
05/05/2026 13:35	S26-2700	Southville Integrated Highschool	ABSENCE	ABSENCE	62
BRGY. KANLURAN					
05/05/2026 10:58	S26-2695	Gate Entrance, Alfonso Homes I	ABSENCE	ABSENCE	< 1
BRGY. MALUSAK					
05/05/2026 10:21	S26-2701	Drinking Fountain, I, Central I Elementary	ABSENCE	ABSENCE	23
BRGY. SINALHAN					
05/05/2026 09:47	S26-2692	Block 8 Lot 16, Bayshore III	ABSENCE	ABSENCE	9

NOT VALID WITHOUT QR CODE



REVIEWED BY:

M. Abenojar
MARVIN JASPER G. ABENOJAR
Microbiology Unit Manager

APPROVED BY:

K. Alday
KRISTEEN Y. ALDAY, RCh
Laboratory Service Manager
License No(s). (PRC 0013295)

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: www.lagunawater.com.ph

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
BRGY. TAGAPO					
05/13/2026 09:32	S26-2906	#6031 JP Rizal Boulevard	ABSENCE	ABSENCE	<1
05/13/2026 09:27	S26-2908	Block 1 Lot 18, Fairfield of Margana Subdivision	ABSENCE	ABSENCE	<1
05/13/2026 10:08	S26-2915	Water Pump, Rosewood Homes I	ABSENCE	ABSENCE	<1
05/13/2026 10:13	S26-2916	Block 3 Lot 31, Rosewood Homes I	ABSENCE	ABSENCE	<1
05/13/2026 08:59	S26-2907	Pump House Eye Wash, Buena Rosa 1 Subdivision	ABSENCE	ABSENCE	<1
05/13/2026 09:18	S26-2909	Block 14 Lot 17, Buena Rosa X	ABSENCE	ABSENCE	<1
05/13/2026 11:42	S26-2910	Cistern Tank, SM Santa Rosa	ABSENCE	ABSENCE	<1
05/13/2026 11:49	S26-2911	Admin Pantry, SM Santa Rosa	ABSENCE	ABSENCE	<1
05/13/2026 11:12	S26-2912	Cistern Tank, Robinson's Mall	ABSENCE	ABSENCE	<1
05/13/2026 11:19	S26-2913	Pepa Wings, Robinson's Mall	ABSENCE	ABSENCE	<1
05/20/2026 12:07	S26-3135	Water Pump, Metrogate Heritage Subdivision	ABSENCE	ABSENCE	<1
05/20/2026 12:24	S26-3136	Clubhouse, Metrogate Heritage Subdivision	ABSENCE	ABSENCE	<1

REMARKS: Sample collection was performed by LAWC Field analyst/Laboratory technicians and were analyzed as submitted.

LEGEND: **HPC** – Heterotrophic Plate Count; **CFU** – Colony Forming Units; **MDL** – Method Detection Limit; **LOQ** – Limit of Quantification; **NA** – Not Applicable (-) Not performed

DEVIATIONS: No deviation noted on sample collection and submission.

METHODS: **A**- Enzyme Substrate; **B**- Pour Plate

METHOD REFERENCE: Standard Methods for the Examination of Water and Wastewater, 24th Edition


NOT VALID WITHOUT QR CODE



REVIEWED BY:


MARVIN JASPER G. ABENOJAR
Microbiology Unit Manager

APPROVED BY:


KRISTEEN Y. ALDAY, RCh
Laboratory Service Manager
License No(s). (PRC 0013295)

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna
CONTACT NO.: (049) 543-1916
WEBSITE: www.lagunawater.com.ph

CUSTOMER NAME : Laguna AAWater Corporation

ADDRESS : G/F One Evotech Building, Nuvali, Brgy. Santo Domingo, Santa Rosa City, Laguna 4026

ATTENTION : N/A

SUMMARY OF LABORATORY ANALYSIS

SAMPLE CODE(S) : S26-3269 **DATE/TIME SUBMITTED :** 05/26/2026 14:14

DATE/TIME COLLECTION : 05/26/2026 13:38 **COLLECTED BY :** Jonnel S. Mercado

NO. OF SAMPLES : 1 **TOTAL PARAMETERS TESTED :** 4

SAMPLE LOCATION : BOOSTER 1, LAGUNA TECHNOPARK INC., SANTA ROSA CITY, LAGUNA

SAMPLE CHARACTERISTICS : 100 mL water sample in clear and sterile glass container with 3% sodium thiosulfate.

PARAMETER(S)	UNIT(S)	RESULT(S)	PNSDW LIMIT(/S)	METHOD(S)	ANALYSIS	
					DATE	BY
*Residual Chlorine	mg/L	0.25	0.30 – 1.50	4500-Cl-G.DPD Colorimetric	05/26/2026	JSM
Total Coliform	Coliforms/100 mL	ABSENCE	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	05/26/2026	ABG
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	ABSENCE	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	05/26/2026	ABG
Heterotrophic Plate Count (HPC) ^A	Colony Forming Unit (CFU)/mL	24	< 500 (cfu/mL)	9215B. Pour Plate Method	05/26/2026	ABG

REMARKS: Sample collection was performed by LAWC accredited sampler and was analyzed as submitted.

NOTE: A – Method is not part of DENR-ELR Recognized Parameters

*-Performed Onsite


DEVIATIONS: No deviations noted on sample collection and submission.

METHOD REFERENCE: Standard Methods for the Examination of Water and Wastewater, 24th Edition


NOT VALID WITHOUT QR



REVIEWED BY:


MARVIN JASPER G. ABENOJAR
Microbiology Unit Manager

APPROVED BY:


KRISTEEN Y. ALDAY, RCh.
Laboratory Services Manager
License No(s). (PRC 0013295)

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis