

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: www.lagunawater.com.ph

CUSTOMER NAME : LAGUNA AAAWATER CORPORATION

ADDRESS : G/F One Evotech Building, Lakeside Evozone, Nuvali, Brgy. Santo Domingo, Santa Rosa City, Laguna

ATTENTION : SANTA ROSA CITY HEALTH OFFICE I

SUMMARY OF LABORATORY ANALYSIS

NO. OF SAMPLES : 21

TOTAL PARAMETERS TESTED: 3


ANALYSIS DATE(S) : 05/08/2023-05/23/2023

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
BRGY. BIÑAN					
05/02/2023 12:09	S23-2284	Laguna Wellfield 1	ABSENCE	ABSENCE	1
BRGY. CAINGIN					
05/22/2023 10:13	S23-2654	Water Pump, Block 57, Phase 1, Southville	ABSENCE	ABSENCE	29
05/22/2023 10:19	S23-2655	Block 25 Lot 7, Phase 3, Southville	ABSENCE	ABSENCE	1
05/22/2023 10:36	S23-2658	Block 2 Lot 16, Phase 9 Southville	ABSENCE	ABSENCE	4
05/22/2023 10:44	S23-2656	Southville Integrated Highschool	ABSENCE	ABSENCE	< 1
BRGY. KANLURAN					
05/22/2023 09:03	S23-2651	Gate Entrance, Alfonso Homes I	ABSENCE	ABSENCE	1
BRGY. MALUSAK					
05/22/2023 08:30	S23-2650	Santa Rosa City Hall, J.P. Rizal Boulevard	ABSENCE	ABSENCE	< 1
05/22/2023 08:46	S23-2657	Drinking Fountain, I, Central I Elementary	ABSENCE	ABSENCE	< 1
BRGY. SINALHAN					
05/22/2023 08:05	S23-2648	Block 8 Lot 16, Bayshore III	ABSENCE	ABSENCE	< 1

NOT VALID WITHOUT QR CODE



REVIEWED BY:


NOWEL ELLISON G. RAMOS, RMT
Microbiology Unit Manager
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:

ANNA KARLA S. GUTIERREZ, RMT
Laboratory Services Manager
License No(s). (PRC 0060968)

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: www.lagunawater.com.ph

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
BRGY. TAGAPO					
05/09/2023 14:18	S23-2453	#60 31 JP Rizal Boulevard	ABSENCE	ABSENCE	3
05/08/2023 11:41	S23-2382	Block 1 Lot 18, Fairfield of Margana Subdivision	ABSENCE	ABSENCE	< 1
05/08/2023 11:53	S23-2390	Water Pump, Rosewood Homes I	ABSENCE	ABSENCE	< 1
05/08/2023 12:00	S23-2391	Block 3 Lot 31, Rosewood Homes I	ABSENCE	ABSENCE	<1
05/08/2023 10:47	S23-2381	Pump House Eye Wash, Buena Rosa 1 Subdivision	ABSENCE	ABSENCE	< 1
05/08/2023 11:13	S23-2382	Block 14 Lot 7 Buena Rosa 10 Subdivision	ABSENCE	ABSENCE	20
05/08/2023 12:43	S23-2384	Cistern Tank, SM Santa Rosa	ABSENCE	ABSENCE	< 1
05/08/2023 12:49	S23-2385	Admin Pantry, SM Santa Rosa	ABSENCE	ABSENCE	< 1
05/08/2023 12:18	S23-2386	Cistern Tank, Robinson's Mall	ABSENCE	ABSENCE	20
05/08/2023 12:25	S22-2387	Buko House, Robinson's Mall	ABSENCE	ABSENCE	89
05/06/2023 11:40	S23-2563	Water Pump, Metrogate Heritage Subd.	ABSENCE	ABSENCE	< 1
05/06/2023 12:31	S23-2564	Clubhouse, Metrogate Heritage Subd.	ABSENCE	ABSENCE	< 1

REMARKS: Sample collection was performed by LWC Field analyst/Laboratory technicians and were analyzed as submitted.

LEGEND: **HPC** – Heterotrophic Plate Count; **CFU** – Colony Forming Units; **MDL** – Method Detection Limit; **LOQ** – Limit of Quantification; **NA** – Not Applicable (-) Not performed

DEVIATIONS: No deviation noted on sample collection and submission.


METHODS: **A**- Enzyme Substrate; **B** – Pour Plate

METHOD REFERENCE: Standard Methods for the Examination of Water and Wastewater, 23rd Edition

NOT VALID WITHOUT QR CODE



REVIEWED BY:


NOWEL ELLISON G. RAMOS, RMT
Microbiology Unit Manager
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:

ANNA KARLA S. GUTIERREZ, RMT
Laboratory Services Manager
License No(s). (PRC 0060968)

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: www.lagunawater.com.ph

CUSTOMER NAME : LAGUNA AAAWATER CORPORATION

ADDRESS : G/F One Evotech Building, Lakeside Evozone, Nuvali, Brgy. Santo Domingo, Santa Rosa City, Laguna

ATTENTION : SANTA ROSA CITY HEALTH OFFICE II

SUMMARY OF LABORATORY ANALYSIS

NO. OF SAMPLES : 42

TOTAL PARAMETERS TESTED : 3


ANALYSIS DATE(S) : 05/02/2023-05/22/2023

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
BRGY. BIÑAN					
05/02/2023 12:09	S23-2284	Laguna Wellfield 1	ABSENCE	ABSENCE	1
BRGY. BALIBAGO					
05/22/2023 10:59	S23-2649	#4354 Facundo Compound	ABSENCE	ABSENCE	9
05/08/2023 15:51	S23-2393	Clubhouse, South Hampton Residences	ABSENCE	ABSENCE	< 1
05/08/2023 15:46	S23-2399	Water Pump, South Hampton Residences	ABSENCE	ABSENCE	< 1
05/17/2023 14:12	S23-2605	Cistern Tank, Waltermart Santa Rosa	ABSENCE	ABSENCE	1
05/17/2023 14:01	S23-2606	2 nd Floor faucet, Waltermart, Santa Rosa	ABSENCE	ABSENCE	< 1
05/06/2023 11:10	S23-2562	Block 5 Lot 25, JB Village	ABSENCE	ABSENCE	< 1
BRGY. DILA					
05/22/2023 11:30	S23-2662	Water Pump, Phase 3E, Mabuhay Homes 2000, Golden City Subdivision	ABSENCE	ABSENCE	9
05/06/2023 09:35	S23-2533	Block 2 Lot 10, Phase 3E, Mabuhay Homes 2000, Golden City Subdivision	ABSENCE	ABSENCE	2
05/22/2023 11:59	S23-2663	Water Pump, Block 12, Phase 2E, Mabuhay Homes 2000	ABSENCE	ABSENCE	< 1
05/06/2023 10:16	S23-2555	Block 13 Lot 5, Phase 2E, Mabuhay Homes 2000	ABSENCE	ABSENCE	< 1
05/08/2023 13:37	S23-2394	Clubhouse, Alabaster St., Villa Esmeralda	ABSENCE	ABSENCE	< 1
05/06/2023 10:21	S23-2556	Drinking Fountain, Dila Elementary	ABSENCE	ABSENCE	10
BRGY. DITA					
05/06/2023 10:45	S23-2557	Block 19 Lot 11, New Santa Rosa Homes	ABSENCE	ABSENCE	< 1
05/06/2023 08:30	S23-2558	Water Tank, SolCar Ville Subdivision	ABSENCE	ABSENCE	22
05/06/2023 08:41	S23-2559	Block 3 Lot 7, SolCar Ville Subdivision	ABSENCE	ABSENCE	< 1

NOT VALID WITHOUT QR CODE



REVIEWED BY:


NOWEL ELLISON G. RAMOS, RMT
Microbiology Unit Manager
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:

ANNA KARLA S. GUTIERREZ, RMT
Laboratory Services Manager
License No(s). (PRC 0060968)

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis.

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916


WEBSITE: www.lagunawater.com.ph

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
05/06/2023 09:01	S23-2560	#1780, National Road	ABSENCE	ABSENCE	52
05/06/2023 12:21	S23-2565	R & B Ice Plant, Inc.	ABSENCE	ABSENCE	< 1
05/08/2023 15:14	S23-2395	Clubhouse, San Lorenzo Royale	ABSENCE	ABSENCE	< 1
BRGY. DON JOSE					
05/06/2023 12:17	S23-2545	Church, Block 108, Phase 5, Laguna Bel-Air	ABSENCE	ABSENCE	< 1
05/06/2023 12:08	S23-2544	Clubhouse, Phase 1, Laguna Bel-Air	ABSENCE	ABSENCE	< 1
05/06/2023 11:58	S23-2548	Block 47 Lot 12, Phase 4, Laguna Bel-Air	ABSENCE	ABSENCE	< 1
05/06/2023 09:32	S23-2539	Clubhouse. Phase 4B, Santa Rosa Village I	ABSENCE	ABSENCE	< 1
05/06/2023 09:54	S23-2540	Clubhouse, Santa Rosa Village II	ABSENCE	ABSENCE	< 1
05/06/2023 10:02	S23-2541	Pump 9 & 10, Santa Rosa Estates I	ABSENCE	ABSENCE	< 1
05/06/2023 09:53	S23-2542	Clubhouse, Santa Rosa Estates I	ABSENCE	ABSENCE	< 1
05/06/2023 11:06	S23-2549	Drinking Fountain, Don Jose National High School	ABSENCE	ABSENCE	< 1
BRGY. MACABLING					
05/08/2023 13:34	S23-2392	Block 4 Lot 44, Phase 2, Buena Rosa 9 Subdivision	ABSENCE	ABSENCE	< 1
05/08/2023 13:14	S23-2388	Water Pump, Corinthian Subdivision	ABSENCE	ABSENCE	< 1
05/08/2023 13:25	S23-2389	Block 11 Lot 14, Corinthian Subdivision	ABSENCE	ABSENCE	< 1
BRGY. MALITLIT					
05/06/2023 12:31	S23-2561	Guardhouse, Casan Residencia Subdivision	ABSENCE	ABSENCE	< 1
05/08/2023 15:03	S23-2398	Block 11 Lot 16, Terra Fortuna	ABSENCE	ABSENCE	< 1
05/08/2023 14:47	S23-2396	Water Pump, 9999 W, Villa Las Casas	ABSENCE	ABSENCE	< 1
05/08/2023 14:54	S23-2397	Block 1 Lot 17, Villa Las Casas	ABSENCE	ABSENCE	< 1

NOT VALID WITHOUT QR CODE



REVIEWED BY:


NOWEL ELLISON G. RAMOS, RMT
Microbiology Unit Manager
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:

ANNA KARLA S. GUTIERREZ, RMT
Laboratory Services Manager
License No(s). (PRC 0060968)

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis.

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: www.lagunawater.com.ph

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
BRGY. POOC					
05/22/2023 09:39	S23-2652	Water Pump, Villa Mercedes	ABSENCE	ABSENCE	< 1
05/22/2023 09:51	S23-2653	Block 2 Lot 1, Villa Mercedes	ABSENCE	ABSENCE	< 1
BRGY. PULONG STA. CRUZ					
05/17/2023 14:39	S23-2602	Manzano Residence	ABSENCE	ABSENCE	< 1
05/17/2023 14:31	S23-2604	Wash Area, Pulong Sta. Cruz Elementary School	ABSENCE	ABSENCE	< 1
05/17/2023 14:25	S23-2603	Drinking Fountain 1, Pulong Sta. Cruz Elementary School	ABSENCE	ABSENCE	< 1
05/17/2023 14:45	S23-2677	Drinking Fountain II, Pulong Sta. Cruz, Brgy. Sitio Aratan	ABSENCE	ABSENCE	< 1
BRGY. SANTO DOMINGO					
05/06/2023 10:19	S23-2543	Clubhouse Santa Rosa Estates II	ABSENCE	ABSENCE	< 1
05/06/2023 10:37	S23-2550	Water Pump	ABSENCE	ABSENCE	< 1
05/06/2023 10:44	S23-2551	Tope Residence	ABSENCE	ABSENCE	< 1

REMARKS: Sample collection was performed by LWC Field analyst/Laboratory technicians and were analyzed as submitted.

LEGEND: **HPC** – Heterotrophic Plate Count; **CFU** – Colony Forming Units; **MDL** – Method Detection Limit; **LOQ** – Limit of Quantification; **NA** – Not Applicable (-) Not performed

DEVIATIONS: No deviation noted on sample collection and submission.


METHODS: **A**– Enzyme Substrate; **B**– Pour Plate

METHOD REFERENCE: Standard Methods for the Examination of Water and Wastewater, 23rd Edition

NOT VALID WITHOUT QR CODE



REVIEWED BY:


NOWEL ELLISON G. RAMOS, RMT
Microbiology Unit Manager
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:

ANNA KARLA S. GUTIERREZ, RMT
Laboratory Services Manager
License No(s). (PRC 0060968)

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis.